

Declaration of Performance

DoP: HSWDv01

1. Unique identification code of the product-type: **HSWD-A01**

sliding door, scheme A Product:

Intended use or uses of the construction product: in domestic and commercial locations

AS Viljandi Aken ja Uks Manufacturer:

Puidu 6, 71020 Viljandi, Estonia

Tel. (+372) 433 0610 E-Mail: vau@vau.ee

System or systems of assessment and verification of constancy of performance of the construction product: system 3

Harmonised standard: EN 14351-1:2006+A2:2016

initial type testing performed by NB and issued test/calculation reports: Notified body:

TÜV Eesti OÜ, Vana-Narva 24B, Tallinn, Estonia NB 1526

Declared performance:

Designed Performance								
Product	IGU	Watertightness (EN 12208)	Resistance to wind load - test pressure (EN 12210)	Resistance to wind load - frame deflection	Load-bearing capacity of safety devices	IGU Acustic performance Rw (C;Ctr) dB	Thermal transmittance Ud [W/m²K]	Air permeability (EN 12207; EN 14351-1)
HSWD-A01	4-15-4-15-4	5A	4	С	ndp	32 (-2;-6)	npd	4

Note! npd: no performance determined.

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Veiko Põldsaar R&D Manager 02.06.2022