

Declaration of performance characteristics of door type SD40

Producer: AS VILJANDI AKEN JA UKS, reg no 10052966, Puidu 6, 71020 Viljandi, Estonia

Hereby declares that

Product: internal door **SD40**

Product description: hinged timber leaf hung in timber frame, sound resistant single leaf wooden door.

Intended use or uses of the construction product: for closing entrances in heated working and living premises.

Systems of assessment and verification of constancy of performance of the construction product: system 3

Produced: AS Viljandi Aken ja Uks, Puidu 6, 71020, Viljandi, Estonia

Confirms with following characteristics:

No	Characteristics	Test or calculation standard	Classification standard	Unit	Class/ value	Test report	Notified body*
1.	Sound insulation (hardwood threshold, height 22mm)	EN ISO 717-1	Declared value	dB	38	038-1 SŠF/12 A 038-2 SŠF/12 A	2018
2.	Sound insulation (mechanical threshold)	EN ISO 717-1	Declared value	dB	37	038-3 SŠF/12 A 041 SŠF/12 A	
3.	Sound insulation (glass opening and mechanical threshold)	EN ISO 717-1	Declared value	dB	35	134 SF/14 A	

***Notified body:**

2018 – KTU Science Laboratory of Building Thermal Physics, Tunelio g. 60, LT-44405 Kaunas, Lithuania

- Products are produced according to standardisation proposal SFS 4434 in case it is not in conflict with European standards.
- Products are installed according to the product installation and maintenance instructions.
- "Warranty conditions for doors and windows sold by AS Viljandi Aken ja Uks" apply to the sale of products.

AS Viljandi Aken ja Uks



Veiko Põldsaar
R&D Manager

12.01.2017