



Declaration of Performance

DoP: RU34v01

1. Unique identification code of the product-type: **RU34**
2. Product: **internal door RU34**
3. Intended use or uses of the construction product: **in domestic and commercial locations**
4. Manufacturer: **AS Viljandi Aken ja Uks**
Puidu 6, 71020 Viljandi, Estonia
Tel. (+372) 433 0610
E-Mail: vau@vau.ee

System or systems of assessment and verification of constancy of performance of the

5. construction product: **system 3**

Harmonised

6. standard: **EN 14351-2**
7. Notified body: initial type testing performed by NB and issued test/calculation reports:
KTU Science Laboratory of Building Thermal Physics, Tunelio g. 60,
NB 2018 LT-44405 Kaunas, Lithuania

8. Declared performance:

Product	Resistance to vertical load EN 1192	Resistance to static torsion EN 1192	Resistance to soft and heavy body impact EN 1192	Resistance to hard body impact EN 1192	Resistance to repeated opening and closing EN 12400	Sound insulation – with sealing EN ISO 717-1	Sound insulation – without sealing EN ISO 717-1
RU34	4	4	4	2	5	22 dB	19 dB

Note! npd: *no performance determined.*

The performance of the product identified in points 1 and 2 is in conformity with the declared

9. performance in point 8.
This declaration of performance is issued under the sole responsibility of the manufacturer
identified in point 4.

Signed for and on behalf of the manufacturer by:

Veiko Põldsaar
R&D Manager
11.05.2023