

Declaration of Performance

DoP: VHFSAL EI30v03

1. Unique identification code of the product-type: **VHSAL EI30**
2. Product: **fixed fire resistant window**
3. Intended use or uses of the construction product: **fire and/or smoke compartmentation in domestic and commercial locations**
4. Manufacturer: **AS Viljandi Aken ja Uks
Puidu 6, 71020 Viljandi, Estonia
Tel. (+372) 433 0610
E-Mail: vau@vau.ee**
5. System(s) for assessing and verifying the constancy of performance of the construction product: **System 1, System 3**

6. Notified body: **Within the framework of system 1, the certification body that has issued the certificate of conformity to the product:
Kiwa Estonia OÜ
under the System 1 and 3 initial type testing is carried out by notified testing laboratory:
NB 1526 TÜV Estonia Ltd**

7.1 Declared performance (System 1):

Product characteristics		Performance	Classification standard
Resistance to fire:	E	30	EN 13501-2
	EI	30	

7.2 Declared performance (System 3):

Essential characteristics	Performance	Harmonised standard
Watertightness	Class 9A	EN 14351-1:2006+A2:2016
Dangerous substances	npd	
Resistance to wind load - test pressure	Class 4	
Resistance to wind load - frame deflection	Class C	
Load-bearing capacity of safety devices	npd	
Acoustic performance R_w (R_w+C ; R_w+C_{tr})	npd	
Thermal transmittance $W/(m^2K)$	npd	
Air permeability	Class 4	

Note! npd: *no performance determined.*

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Veiko Põldsaar
R&D Manager
22.04.2026