

Declaration of conformity

v.01

Producer: AS VILJANDI AKEN JA UKS, reg no 10052966, Puidu 6, 71020 Viljandi, Estonia

Hereby declares that

Product: internal door **FD18 sound**

Product description: hinged timber leaf hung in timber frame, single leaf fire resistant and sound insulation wooden door.

Intended use or uses of the construction product: for closing entrances between the fire compartments of heated working and living premises.

Systems of assessment and verification of constancy of performance of the construction product: system 3

Produced: AS Viljandi Aken ja Uks, Puidu 6, 71020, Viljandi, Estonia

Confirms with following characteristics:

No	Characteristics	Test or calculation standard	Classification standard	Unit	Class/ value	Test report	Notified body*
1.	Sound insulation	EN ISO 10140-2	ISO 717-1	dB	28-40		
a.	Single door with wooden threshold, key tube and doorbell			dB	40	VTT-S-05873-14	0809
b.	Single door with wooden threshold, key tube, letterbox, door viewer and doorbell			dB	38	VTT-S-05873-14	0809
c.	Single door with drop down seal (Planet PU), key tube and doorbell			dB	39	VTT-S-05873-14	0809
d.	Single door with wooden threshold and 68.1 sil soundglass			dB	38	EUF129-19005198	0809
2.	Burglary resistance	EN 1628 EN 1629 EN 1630	EN 1627	Class	RC2	2P06613	0402

***Notified body:**

0809 – Eurofins Expert Services Oy

0402 – RISE Research Institutes of Sweden AB

- Products are produced according to standardisation proposal SFS 4434 in case it is not in conflict with European standards.
- Products are installed according to the product installation and maintenance instructions.
- “Warranty conditions for doors and windows sold by AS Viljandi Aken ja Uks” apply to the sale of products.

AS Viljandi Aken ja Uks



Veiko Põldsaar
R&D Manager
23.04.2026